

अमरावती महानगरपालिका, अमरावती.


बांधकाम विभाग

कोटेशन नोटीस मुदतवाढ

महानगरपालिकेला खालील दिल्याप्रमाणे काम करावयाचे आहे. तरी ज्यांना काम करावयाचे असेल त्यांनी आप-आपले सिलबंद कोटेशन बांधकाम विभाग यांचे कार्यालयात दि. 24/05/2023 ला दुपारी 12.00 वाजेपर्यंत आणु द्यावेत. नंतर आलेले कोटेशन स्विकारण्यात येणार नाहीत. **list Of Non-SSR Items are Attached.**

1. दि. 25/05 /2023 ला दु. 04.00 वाजता उघडण्यात येईल.
कंत्राटदार यांनी शहर अभियंता विभाग यांचे कार्यालयात हजर राहावे.

तारीख :-19/05/2023



शहर अभियंता
महानगरपालिका, अमरावती

प्रति,

सिस्टिम मॅनेजर

सदर नोटीस संकेतस्थळावर प्रसिद्ध करावी.

Welcome Point Beautification at Amravati

List of Non-SSR Items

Sr No	Description	Qty	Unit	Rate	Amount
1	Pipe Size 3" (Pipe thickness -14 Gauge Nozzle Taping and Bending , Rounding, Buffing & polishing.)	8	Rmt		
2	S.S Stand, Height 3 Feet	4	Nos		
3	S.S, 25mm Coupling Threaded	38	Nos		
4	25mm Brass Valve	38	Nos		
5	½ Mist Brass Nozzle	38	Nos		
6	25 mm Brass Ball joint	38	Nos		
7	Dandelion S.S 2.5 feet Nozzle	65	Nos		
8	300mm round Brass Ball 32 Branches with ½" Threading and 4" inlet size	1	Nos		
9	S.S, 4"x 8 Feet Header Pipe with Stand	1	Nos		
10	S.S Screen Filter 75 mm	2	Nos		
11	10 HP Booster submersible pump	1	Nos		
12	4 core 4 Sq.mm Flexible Cable	40	Rmt		
13	6 Sq. mm 3 Core submersible Cable	20	Rmt		
14	BMC approved automatic water proof Panel with timer	1	Nos		
15	R.F. Controller	1	Nos		
16	S.M.P.S. controller For Led Light	1	Nos		
17	Nozzle Mounted 36 Watt, IP 68 RGB light	13	Nos		
18	4" Vertical NRB	1	Nos		
19	½" Brass Umbrella Nozzle	65	Nos		
20	Drain Line Point And in line water connection point for tank cleaning	1	Nos		
21	Installation Charges	1	Nos		
22	Decorative Wall Painting (as per requirement & design & should be approved by architect) , of any abstract or, plantation representation or any Art painting which should not be related to any religion, beliefs and politics.	865	Sqm		
23	Stone Sculpture Dome made up of a stone with 5 columns forming a pentagonal structure with round Dome. It should be a 2 steps from outer all side & inside plain surface area should be above the 0.500 meter height from 2nd step. It should be open from all 5 side. It should be of smooth surface, made up in a pink stone or similar material, size should be of 2.44 x 3.35 meter. Height 3.35 meter considered from step 1.	1	Nos		

24	decorative street lamp (as per requirement & design & should be approved by architect) should be antique and same design through out the total Quantity of minimum clear height 2.75meter & shall not exceed maximum height of 3.75 meter should be of metal body with antique design fixed on the the outer end of pathway & focusing spreaded light on the pathway. light in the lamp should be of minimum 30 watt minimum , every unit of street lamp should be placed at distance of 5 meter spacing from each other.	23	Unit		
25	Acrylic LED lamp set (as per requirement & design & should be approved by architect) should be of same design through out the total Quantity, should be made up of Acrylic material in white color as a finishing material and should omit LED light placed/ fixed inside to it. It will get fixed on the Hallow arch body frame of 100x100x4 mm as mentioned in the detailed Schedule B of SSR items. LED light should be 12 volt with Choke adaptor to it & every illumination pole should omit single color (white, light blue, warm white, light pink, natural white) should be placed or spaced at 2 meter distance	53	Unit		
26	Decorative Wall lamps (as per requirement & design & should be approved by architect) should be antique and same design through out the total Quantity. Should be 18-20 watt light. Every 5 lamps should be placed on ht of 2 meter on wall from final floor level with spacing between every lamp should be of 2.3 meter. After every 5 wall lamps, there should be gap of 10 meter.	15	Nos		

