विभागाचे नांव - प्रकाश विभाग दर सूचना (कोटेशन नोटीस)

अमनपा/पंँऔ;Ö† / 718 /2023 दिनांक:- 19 /07/2023

कामाचे नांव - Providing Decorative Single Arm Bracket, Combo Street Pole & Aluminum Light Fixture at various roads in AMC area.

दरपत्रक सादर करण्याचा कालावधी	ж іі 19/07/2023 ЇЁжіі 25 /07/2023 सायंकाळी 5.00 ¾Ö ЁЙІЙ
दरपत्रक सादर करण्याचे ठिकाण	प्रकाश विभाग,महानगरपालिका अमरावती
10 00 T 40 B	ee1pwdamc@gmail.com
दूरध्वनी क्रमांक	07212576482

-**∭**×

- 1) सदर दर सूचना (कोटेशन नोटीस) मनपाच्या <u>www.amravaticorporation.</u>in या संकेत स्थळावर ÄÜÄğܸü ÜÄܨü करण्यात आलेले आहे.
- 3) दरपत्रक सादर करण्याकरीता मान्यता प्राप्त उत्पादक किंवा वितरक असल्याबाबतचे प्रमाणपत्र जोडणे आवश्यक आहे.
- 4) दरपत्रक सादर करण्याचा कालावधी नंतर प्राप्त नालेले दरपत्रक ग्राह्य धरण्यात येणार नाही.

-þÖ ¿Œijü†҂³QΩΟО महानगरपालिका अमरावती

म्यूँ मुँग्रैं में - अमरावती महानगरपालिका अमरावती विभागाचे नांव - प्रकाश विभाग म्यूँ में चूंचना (कोटेशन नोटीस)

अमनपा/प्रवि/शअ/ 718 /2023 दिनांक:- 19 /07 /2023

AMRAVATI MUNICIPAL CORPORATION,AMRAVATI				
		Department - Electrical		
Name	of Work - Pro	oviding Decorative Aluminium Light Fixture at various ro	ads in AN	/IC area.
Non- CSR Item				
Item	Category	Description	Unit	Rate
No		The First		
		External Light Fixtures-		
1	NCSR	Supply, installation and fixing decorative light		
		fixture. Similar to Dwarka make DGL-101-L. The		
		details of light are given below:		
		Light Fixture: The ornamental aluminum casted		
		decorative suspended/hanging type light fittings		
		of total height nearly 700 mm & approximate weight		
		8.6Kg. having suitable Adopter/connector for		
		fixing on required post; as shown in the enclosed		
		drawing/picture. The fixtures have aluminum		
		casted & spinning parts welded with decorative cast		
		aluminum designs for better look. It shall have		
		designed to illuminate large areas with its wide		
		dispersion without affecting the environment. It		
		shall have extra clear transparent unbreakable		
		polycarbonate V shaped light cover with stainless-		
		steel fastening elements. The fixture having		
		provision to fix complete with required power		
		supply. The designs of cast aluminum light fixture		
		shall be similar to the once shown in the drawing.		
		The fixture having provision to fix complete with		
		required power supply; The luminaries must have		
		rated with IES LM-79-08(As per IBC62262-2002)		
		& IP-66 rated The main structural components		
		of fixtures have UV resistant & shock resistance		
		IK08 (AS per IEC62262:2002) with tilting frame		
		for access to the electric & optical auxiliary		
		compartment with silicon gaskets fixing, As		
		regarding the electrical auxiliaries for LED module of 120watt with IP protected polycarbonate Kathod		
		Lens & input frequency of 50Hz ;THD <10% with		
		inbuilt surge protection of 5KV AC of & High		
		Grade Heat sink in extruded aluminum with Silicon		
		Compound Used for PCB Heat transferor. Each		
		LED with specific Kathod lens for uniform		
		photometric distribution. The Phillips LED driver		
		shall be Water proof, With Aluminum casing		

covering with silicon po	tting with efficacy 85%. The		
LED efficiency of 110 to	o 120 Lumen/watt: it has		
support plates for LED i			
	priate space for auxiliary		
	It is responsibility of the		
installer the correct insta	± • • • • • • • • • • • • • • • • • • •		
	e with applicable regulation.		
	are proposed dimensions,		
	which may vary with actual measurements		
(Tolerance of +5%)			
	The designs of cast aluminum light fixture shall be		
similar to DGL-101-L.			
	Finish: Color specification & finishing process must		
_	follow as per the ISI standard. All parts must be		
	clean by SHOT blasting process. Further parts are		
1 7	painted in 4 layer coating (Coating thickness- 125 to		
	150 micron) in which first layer with epoxy primer		
	(to prevent corrosion), second layer with epoxy base		
` 1	colour, than third layer polyurethane (PU) metallic		
	paint (Gold/Green/Copper/Silver) & final layer of		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	polyurethane (PU) lacquer (to prevent ultra violets		
	ray).		
	Material Specification: All this above parts in cast		
aluminum castings must be made of equivalent			
to LM6 grade materials; best suitable for this type of			
outdoor material. The overall wall thickness			
	must be 10 to 12 mm; this composition is best		
	suitable for product strength & life.		
दरपत्रक सादर करण्याचा कालावधी	xi 19 /07/2023 V 25/07/2023		
प्राप्त राष्ट्र करण्याचा काराविया	30-0000		
7.0			
दरपत्रक सादर करण्याचे ठिकाण	प्रकाश विभाग,महानगरपालिका अमरावती		
±θ′0•0 + Φ0 · Β	<u>ee1pwdamc@gmail.com</u>		
दूरध्वनी क्रमांक	07212576482		
ϪϻϢ -			

- 1) दर वस्तु व सेवा कर विरहीत (Exclusive G.S.T) देण्यात यावे.
- 2) दरपत्रक सादर करण्याकरीता मान्यताप्राप्त उत्पादक किंवा वितरक असल्याबाबतचे प्रमाणपत्र जोडण्Ü आवश्यक आहे.
- 3)दरपत्रक सादर करण्याचा कालावधी नंतर प्राप्त नालेले दरपत्रक ग्राह्य धरण्यात येणार नाही.

-Ã3**⁄Ö**-ृ**(मिं**ग्रंग**ं ׳4,000** महानगरपालिका अमरावती