## वाप्रैंप्रैंप्रैं - अमरावती महानगरपालिका अमरावती विभागाचे नांव - प्रकाश विभाग दर सूचना (कोटेशन नोटीस)

अमनपा/प्रवि/शअ/ 701 /2023 दिनांक:- 18 /07/2023

कामाचे नांव - - Providing Decorative lamp post fitting at various square in AMC area.

अमरावती महानगरपालिके अंतर्गत दर सूची बाह्य दर निश्चित करण्यासाठी खालील बार्बीकरीता मान्यता प्राप्त उत्पादक किंवा वितरक यांचेकडून दराबाबत दरपत्रक (कोटेशन) मोहोरबंद लिफाफ्यामध्ये अथवीँ ‡ि 🖔 🖟 🖟 🖟 🖟 🖟 🖟 मार्गविण्यात येत आहें।

दरपत्रक सादर करण्याचा कालावधी	दि. 18/07/2023 ते दि. 24/07/2023 सायंकाळी 5.00 ¾0 000
दरपत्रक सादर करण्याचे ठिकाण	प्रकाश विभाग,महानगरपालिका अमरावती
\$\frac{10}{00}\$0 \tau   \text{8}	ee1pwdamc@gmail.com
दूरध्वनी क्रमांक	07212576482

## -Ωľ×

- 1) सदर दर सूचना (कोटेशन नोटीस) मनपाच्या <u>www.amravaticorporation.</u>in या संकेत स्थळावर ÄÜÄğܸü¯ÜÄܨÜ and आलेले आहे.
- 2) म्यूंग्रिश्विर्शिक्षेत्र्विष्ठित्रे तिक्षिण्यात् यावे. (Exclusive G.S.T) देण्यात यावे.
- 3) दरपत्रक सादर करण्याकरीता मान्यता प्राप्त उत्पादक किंवा वितरक असल्याबाबतचे प्रमाणपत्र जोडणे आवश्यक आहे.
- 4) दरपत्रक सादर करण्याचा कालावधी नंतर प्राप्त नालेले दरपत्रक ग्राह्य धरण्यात येणार नाही.

-þÖ. ¿ŌϜijü†҂QΩOO महानगरपालिका अमरावती

## म्म्यू म्हानगरपालिका अमरावती विभागाचे नांव - प्रकाश विभाग दर सूचना (कोटेशन नोटीस)

अमनपा/प्रवि/शअ/ 701 /2023 दिनांक:- 18 /07 /2023

अमरावती महानगरपालिके अंतर्गत दर सूची बाह्य दर निश्चित करण्यासाठी खालील बार्बीकरीता मान्यता - Ѿित उत्पादक किंवा वितरक यांचेकडून दराबाबत दरपत्रक (कोटेशन) मोहोरबंद लिफाफ्यामध्ये अथवा इमै अधिष्ठ मार्गावण्यात येत आहे.

		MRAVATI MUNICIPAL CORPORATION, AMRAV.  Department - Electrical		
		Dopartmont Licotrious		
Name	of Work - F	Providing Decorative lamp Post at various Square in AMC area	l <b>.</b>	
		Non- CSR Item		
Item	Category	Description	Unit	Rate
No		- ····		
		External Light Fixtures-		
1	NCSR	Supply, Installation and fixing of heritage architectural		
•	1.001	ornamental decorative light pole having provision to fix		
		decorative double arm bracket with aluminium light fixture.		
		Installation of same with foundation bolts of suitable size to		
		gout it into specially designed RCC foundation, Similar to		
		Dwarka make DLP- D-002-C (C.I+M.S Pole). The decorative		
		bracket & light shall be fixed on the top of the pole. The		
		details of pole, brackets & light are given below.		
		<b>Pole</b> :- The pole with brackets shall look like as shown in the		
		drawing. It shall have all similar features as shown in the		
		enclosed drawing/picture. The Heritage Pole of nearly 3370mm height. The pole shall be made to provide pleasing		
		aesthetics. The decorative pole has ornamental base of nearly		
		670mm height & dia of 485mm. The decorative pole has		
		ornamental base to be mounted on a heavy-duty mild steel		
		base plate of suitable size 485x 485 x 10mm. This mounting		
		mild steel plate along with foundation bolts of suitable size to		
		be used for ensuring firm grouting into the specially designed		
		RCC foundation. The part above ornamental base having		
		heavy M.S. hollow round pipe of outer diameter 193mm		
		OD& on above OD 140 mm Pipe of pole with decorative cast		
		iron design &cast aluminium diya shaped design. The diya		
		shaped casting has provision of illumination which will look		
		lighted diyas on pole. The pole should be provided with an		
		inbuilt junction box, at the bottom-the inbuilt box should		
		have a flush door of suitable size. The pole shall be similar to		
		the once shown in the drawing. Mentioned dimensions are		
		proposed dimensions, which may vary with actual		
		measurements (Tolerance of ±5%). <b>Breekets:</b> The architectural custom design (cast iron   M.S.)		
		<b>Brackets:</b> The architectural custom design (cast iron+ M.S) pipe brackets details of the various portions are given in the		
		drawing, which is of nearly 1625mm width, 980mm height		
		With Tulsi Pot& which is made in combination of heavy-		
		duty M.S pipe section nearly 40mm dia aesthetic cast iron		
		elements as shown in drawing & provision of leakage-proof		
		concealed wiring to maintain look of bracket. A cast		
		aluminium decorative element provided on top of Tulsi Pot		

embossed for Aesthetics. The designs of cast iron to be welded to the brackets shall be similar to the once shown in the drawing. Mentioned dimensions are proposed dimensions, which may vary with actual measurements (Tolerance of  $\pm 5\%$ ).

**Light Fixture**: The ornamental aluminium casted decorative type light fittings of total height nearly 680mm and Width450mm having suitable Adopter/ connector for fixing on required post; as shown in the enclosed drawing/picture. The fixtures have aluminium casted & spinning parts welded with decorative cast aluminium designs for better look. It shall have designed to illuminate large areas with its wide dispersion without affecting the environment. It shall have extra clear transparent acrylic Half Round doom light cover with stainless-steel fastening elements. The fixture having provision to fix complete with required power supply. Mentioned dimensions are proposed dimensions, which may vary with actual measurements (Tolerance of  $\pm 5\%$ ). **Finish:** Colour specification & finishing process must follow as per the ISI standard. All parts must be clean by SHOT blasting process. Further parts are painted in 4 layer coating (Coating thickness-125 to 150 micron) in which first layer with epoxy primer(to prevent corrosion), second layer with epoxy base colour, than third layer polyurethane (PU) metallic paint (Gold/ Green/Copper/Silver) & final layer of polyurethane (PU) lacquer (to prevent ultra violets ray). Material Specification: All this above parts made of cast iron castings must be of FG- 150 grade as per IS 210 2009 standard, Hardness must be in range between 130 BHN to 180

& IIIe.	
दरपत्रक सादर करण्याचा कालावधी	्रष्या 18 /07/2023 १०० थ्या 24/07/2023 सायंवर्या कि कि 5.00 अंक विकारण
	740° αμίου
दरपत्रक सादर करण्याचे ठिकाण	प्रकाश विभाग,महानगरपालिका अमरावती
‡Ô Ô Ô † Ô Ô B	ee1pwdamc@gmail.com
दरध्वनी क्रमांक	07212576482

BHN. Cast iron must have Chemical composition of Carbon - 3.0% to 4.0% Silicon 1.0% to 2.0%, magnesium -0.5% to 0.7%, sulphur -0.02% to 0.04% & phosphorous-0.07% to 0.09% this composition is best suitable for product strength

## **₩Ö-**

- 1) म्राँ वस्तु व सेवा कर विरहीत (Exclusive G.S.T) देण्यात यावे.
- 2) दरपत्रक सादर करण्याकरीता मान्यताप्राप्त उत्पादक किंवा वितरक असल्याबाबतचे प्रमाणपत्र जोडणे आवश्यक आहे.
- 3)दरपत्रक सादर करण्याचा कालावधी नंतर प्राप्त नालेले दरपत्रक ग्राह्य धरण्यात येणार नाही.

\_Ã3Ø1).

ुं**णि**ं्ं <mark>+×⁰ं्ं μ000</mark> महानगरपालिका अमरावती